

Bocchi Laboratories, Inc.

26421 Ruether Avenue, Santa Clarita, CA 91350

FOR ALL EMERGENCIES, CALL CHEM TEL (24 Hours/7 Days):	1-813-979-0626
UNITED STATES & CANADA ONLY:	1-800-255-3924
INTERNATIONAL:	00-1-813979-0626
FOR ALL MSDS QUESTIONS OR REQUESTS, CALL:	1-661-252-3807

1. PRODUCT IDENTIFICATION

PRODUCT CLASS: HAIR STYLING
PRODUCT NAMES: DAVEXLABS HEALING STRENGTH NEEM PLANT SILK SERUM
MANUFACTURER: BOCCHI LABORATORIES, INC.
26421 RUETHER AVENUE, SANTA CLARITA, CA-91350

REVISION DATE:	3/1/2012
SUPERCEDES:	3/2008
MSDS NO:	DAV-051

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization

Description:

Formulations designed to provide texture, definition and conditioning to the hair.

Hazardous Components:

Ingredient	CAS No.	EINECS No.	Percent	Hazardous
Cyclopentasiloxane	541-02-6	208-764-9	52%	Yes
Cyclopentasiloxane & Dimethicone	541-02-6, 31692-79-2	208-764-9, 70131-67-8	40%	Yes
Phenylpropyldimethyl-siloxysilicate	207692-01-1	N/A	2%	Yes

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: May be harmful if swallowed.

4. FIRST AID MEASURES

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. Call a physician if irritation develops.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions

5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): Product is combustible

Flammable Properties

Flash Point: 170° Fahrenheit. (76°C)

Fire/Explosion Hazards: Material may be ignited, for example in a fire. Relative hazard is anticipated to be the same as typical combustible materials.

Extinguishing Media: Use foam, carbon dioxide, and dry chemical or water spray when fighting fires.

Fire Fighting Instructions: In case of fire, use normal fire fighting equipment including a NIOSH approved self-contained breathing apparatus (SCBA). Use water to cool containers.

6. ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame,

heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information:

Form: Clear flowing liquid

Color: As per customer

Odor: Floral/Balsamic/Aldehydic/Alcoholic

Change in condition

Melting point/Melting range: NA

Boiling point/Boiling range: NA

Flash point: 170° Fahrenheit (76°C)

Self-igniting: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Vapor Pressure: NA

Density at 20°C: NA

Solubility in/Miscibility with water: Not miscible.

pH value at 20°C: NA

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS: Carbon monoxide, Carbon dioxide, Silicon dioxide, Formaldehyde.

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Keep away from heat, sparks and flame. Avoid any source of ignition.

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

11. TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section 3 for available information on potential health effects.

12. ECOLOGICAL INFORMATION:

No specific ecological data are available for this product. Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information

13. DISPOSAL CONSIDERATIONS:

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies.

Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

14. TRANSPORTATION INFORMATION

Land transport U.S. DOT (Containers less than 1 Liter)

Proper Shipping Name: Consumer Commodity

Hazard class: Not applicable

UN-Number: Not applicable

Packaging group: Not applicable

Description of goods: Considered to be Consumer Commodity in container less than 1 liter.

Land transport U.S. DOT (Containers greater than 1 Liter)

Proper Shipping Name: Combustible liquid, N.O.S.

Hazard class: Not applicable

UN-Number: Not applicable

Packaging group: Not applicable

Description of goods: Combustible in containers greater than 1 Liter (Contains Cyclopentasiloxane, Dimethicone & Phenylpropyldimethylsiloxysilicate)

Maritime transport IMDG:

IMDG Class: Not applicable

UN Number: Not applicable

Label: Not applicable

Packaging group: Not applicable

EMS Number: Not applicable

Marine pollutant: Not applicable

Proper Shipping Name: Combustible (Contains Cyclopentasiloxane, Dimethicone & Phenylpropyldimethylsiloxysilicate)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: Not applicable

UN/ID Number: Not applicable

Label: Not applicable

Packaging group: Not applicable

Proper shipping name: Combustible (Contains Cyclopentasiloxane, Dimethicone & Phenylpropyldimethylsiloxysilicate)

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA) Inventory of Existing Chemical Substances: NONE

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311/312 (40 CFR 370.2):

Health: NONE
Physical: NONE

Emergency Planning & Community Right to Know (40 CFR 355, App. A):
Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

NA

Reportable Quantity (40 CFR 302.4):

NA

California Right-to-Know Regulations (Prop. 65)

NONE

16. ADDITIONAL INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings

Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS NFPA 704 KEY: NPCA-HMIS/NFPA 704

HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	2	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

CAS# - Chemical Abstract System No.

EINECS# - European Inventory of Existing Chemical Substance

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

HMIS-Hazardous Material Identification System

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

EMS- Environmental Management System

ICAO-TI – International Civil Aviation Organization Technical Instructions

IATA - DGR - International Air Transport Association Dangerous Goods Regulations

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

Prepared by: Dr. George Andrassy, Bocchi Laboratories