SAFETY DATA SHEET

L'ANZA HEALING Color Cream Decolorizer



Section 1. Identification

| Product Name:L'ANZA HEALING Color Cream DecolorizerOther means of identification:Not available.Recommended use:Hair Care ProductRestrictions on use:Use only as directed on the product label.Manufacturer:Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.comValidation date:5/29/2015.In case of emergency:(800) 584-8038 [24 Hours]Telephone number:(203) 656-7859 [8:30 a.m 5:00 p.m.]Transportation Emergency:Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]Product type:Liquid. | | |
|---|----------------------------|---|
| identificationHair Care ProductRecommended use: Hair Care ProductRestrictions on use: Use only as directed on the product label.Manufacturer: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.comValidation date: 5/29/2015.In case of emergency: (800) 584-8038 [24 Hours]Telephone number: (203) 656-7859 [8:30 a.m 5:00 p.m.]Transportation Emergency: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | Product Name | : L'ANZA HEALING Color Cream Decolorizer |
| Restrictions on use: Use only as directed on the product label.Manufacturer: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.comValidation date: 5/29/2015.In case of emergency: (800) 584-8038 [24 Hours]Telephone number: (203) 656-7859 [8:30 a.m 5:00 p.m.]Transportation Emergency: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | | : Not available. |
| ManufacturerZotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.comValidation date5/29/2015.In case of emergency(800) 584-8038 [24 Hours]Telephone number(203) 656-7859 [8:30 a.m 5:00 p.m.]Transportation EmergencyContact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | Recommended use | : Hair Care Product |
| 100 Tokeneke Road, Darien, CT 06820 www.zotos.comValidation date: 5/29/2015.In case of emergency: (800) 584-8038 [24 Hours]Telephone number: (203) 656-7859 [8:30 a.m 5:00 p.m.]Transportation Emergency: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | Restrictions on use | : Use only as directed on the product label. |
| In case of emergency : (800) 584-8038 [24 Hours] Telephone number : (203) 656-7859 [8:30 a.m 5:00 p.m.] Transportation Emergency : Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | Manufacturer | 100 Tokeneke Road, Darien, CT 06820 |
| Telephone number: (203) 656-7859 [8:30 a.m 5:00 p.m.]Transportation Emergency: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | Validation date | : 5/29/2015. |
| Transportation Emergency : Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] | In case of emergency | : (800) 584-8038 [24 Hours] |
| | <u>Telephone number</u> | : (203) 656-7859 [8:30 a.m 5:00 p.m.] |
| Product type : Liquid. | Transportation Emergency | : Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours] |
| | Product type | : Liquid. |

Section 2. Hazards identification

| Emergency overview | |
|--|---|
| OSHA/HCS status | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Classification of the substance or mixture | : OXIDIZING LIQUIDS - Category 3 ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 13.1% |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | : May intensify fire; oxidizer. Harmful if swallowed. Causes serious eye irritation. Causes skin irritation. |
| Precautionary statements | |
| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear protective gloves. Wear eye or face protection. Keep away from heat No smoking. Keep away from clothing, incompatible materials and combustible materials. Take any precaution to avoid mixing with combustibles and other incompatible materials. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. |

Section 2. Hazards identification

| Response | : IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
|-------------------------------------|--|
| Storage | : Not applicable. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

United States

| Name | % | CAS number |
|--|-------|------------|
| dipotassium peroxodisulphate | 19.02 | 7727-21-1 |
| diammonium peroxodisulphate | 12.37 | 7727-54-0 |
| Silicic acid, sodium salt | 7.83 | 1344-09-8 |
| disodium metasilicate | 7.36 | 6834-92-0 |
| sodium 2-(dodecyloxy)-2-oxoethane-1-sulphonate | 1.60 | 1847-58-1 |
| silicon dioxide | 1.20 | 7631-86-9 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention immediately. |
|----------------------------|--|
| Inhalation | : Move affected person to fresh air. Seek immediate medical attention. |
| Skin contact | Wash contaminated skin with soap and water. If on clothes, remove clothes. Seek medical attention if irritation persists. |
| Ingestion | : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. Maintain an open airway. |
| Indication of immediate me | edical attention and special treatment needed, if necessary |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

8067

Section 5. Fire-fighting measures

| Extinguishing media | |
|---|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : Oxidizing material. May intensify fire. In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Risk of explosion. If large quantities are involved in a major fire, evacuate the area. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Fight fire from protected location or maximum possible distance. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|-----|--|
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | ont | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out. |
| Large spill | : | Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

8067

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat. |
|--|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from reducing agents and combustible materials. |

Section 8. Exposure controls/personal protection

United States

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|--|---|
| dipotassium peroxodisulphate | ACGIH TLV (United States, 4/2014). |
| diammonium peroxodisulphate silicon dioxide | TWA: 0.1 mg/m ³ , (as persulfate) 8 hours. ACGIH TLV (United States, 4/2014). TWA: 0.1 mg/m ³ , (as persulfate) 8 hours. NIOSH REL (United States, 10/2013). TWA: 6 mg/m ³ 10 hours. |

| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|---|
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection meas | <u>es</u> |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : None. |
| Skin protection | |
| Hand protection | : Wear suitable gloves. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| | 8067 |

 Date of issue/Date of revision
 : 5/29/2015.
 Date of previous issue
 : No previous validation.
 Version
 : 1

Section 8. Exposure controls/personal protection

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Appearance

| Physical state | : Liquid. |
|------------------|------------------------------|
| Color | : White. |
| Odor | : Characteristic. |
| рН | : 9.75 |
| Flash point | : Closed cup: Not applicable |
| Relative density | : 1.27 |
| | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following: contact with combustible materials Reactions may include the following: risk of causing or intensifying fire |
| Conditions to avoid | : Drying on clothing or other combustible materials may cause fire. |
| Incompatible materials | : Reactive or incompatible with the following materials: combustible materials reducing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

United States

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--|-------------------------------------|-------------------|---------------------------------------|-------------|
| dipotassium peroxodisulphate diammonium peroxodisulphate | LD50 Oral LD50 Oral | Rat Rat | 802 mg/kg 689 mg/kg | - |
| Silicic acid, sodium salt disodium metasilicate sodium 2-(dodecyloxy) -2-oxoethane-1-sulphonate | LD50 Oral LD50 Oral LD50 Oral | Rat Rat Rat | 1960 mg/kg 1153 mg/kg 700 mg/kg | - - - |

Irritation/Corrosion

Section 11. Toxicological information

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--|--------------------------|------------|-------|---------------------------|-------------|
| Silicic acid, sodium salt | Eyes - Severe irritant | Rabbit | - | 24 hours 10 milligrams | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 500 milligrams | - |
| disodium metasilicate | Skin - Moderate irritant | Guinea pig | - | 24 hours 250 milligrams | - |
| | Skin - Severe irritant | Human | - | 24 hours 250 milligrams | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 250 milligrams | - |
| sodium 2-(dodecyloxy) -2-oxoethane-1-sulphonate | Eyes - Mild irritant | Rabbit | - | 35 milligrams | - |
| | Skin - Moderate irritant | Rabbit | - | 0.5 Grams | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - |
| silicon dioxide | Eyes - Mild irritant | Rabbit | - | 24 hours 25 milligrams | - |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| silicon dioxide | - | 3 | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

| Eye contact | : Causes serious eye irritation. |
|--------------|--|
| Inhalation | Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact | : Causes skin irritation. |
| Ingestion | : Harmful if swallowed. Irritating to mouth, throat and stomach. |

8067

Section 11. Toxicological information

| Symptoms related to the phy | /sic | al, chemical and toxicological charact | eristics | | | | |
|--------------------------------|-----------|--|-----------------------------|--|--|--|--|
| Eye contact | : | Adverse symptoms may include the following: pain or irritation watering redness | | | | | |
| Inhalation | : | No specific data. | | | | | |
| Skin contact | : | Adverse symptoms may include the follo irritation redness | wing: | | | | |
| Ingestion | : | No specific data. | | | | | |
| Delayed and immediate effect | <u>ts</u> | and also chronic effects from short an | <u>d long term exposure</u> | | | | |
| <u>Short term exposure</u> | | | | | | | |
| Potential immediate effects | - | Not available. | | | | | |
| Potential delayed effects | 4 | Not available. | | | | | |
| <u>Long term exposure</u> | | | | | | | |
| Potential immediate effects | - | Not available. | | | | | |
| Potential delayed effects | 1 | Not available. | | | | | |
| Potential chronic health eff | ect | <u>s</u> | | | | | |
| Not available. | | | | | | | |
| General | : | No known significant effects or critical ha | azards. | | | | |
| Carcinogenicity | : | No known significant effects or critical ha | azards. | | | | |
| Mutagenicity | : | No known significant effects or critical ha | azards. | | | | |
| Teratogenicity | : | No known significant effects or critical ha | azards. | | | | |
| Developmental effects | : | No known significant effects or critical ha | azards. | | | | |
| Fertility effects | 1 | No known significant effects or critical ha | azards. | | | | |
| Numerical measures of toxic | ity | | | | | | |
| Acute toxicity estimates | | | | | | | |
| Route | | | ATE value | | | | |
| Oral | | | 1599.2 mg/kg | | | | |
| | | | | | | | |

Section 12. Ecological information

| United States | | |
|--------------------------------|-------------------------------------|---|
| <u>Toxicity</u> | | |
| Product/ingredient name | Result | Species |
| dipotassium peroxodisulphate | Acute EC50 2.88 mg/dm3 Fresh water | Algae - Pseudokirchneriella subcapitata |
| | Acute LC50 1175000 µg/l | Crustaceans - Cyclops strenuus |
| | Acute LC50 92000 µg/l | Daphnia - Daphnia magna |
| diammonium | Acute LC50 170000 µg/l | Crustaceans - Cyclops strenuus |
| peroxodisulphate | | |
| | Acute LC50 87000 µg/l | Daphnia - Daphnia pulicaria |
| Silicic acid, sodium salt | Acute EC50 0.4 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate |
| | Acute LC50 494000 µg/l Fresh water | Daphnia - Daphnia magna |
| disodium metasilicate | Acute EC50 33.53 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate |
| | 8067 | 1 |
| Date of issue/Date of revision | : 5/29/2015. Date of previous issue | : No previous validation. Version : |

Exposure

72 hours

48 hours

Section 12. Ecological information

Acute LC50 2320 ppm Fresh water

n Fresh water Fish - Gambusia affinis - Adult

96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition: Not available.coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

```
Disposal methods
```

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

Section 14. Transport information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|---------------------------|-----------|--------------------------|---------|-----|----------|--|
| DOT Classification | UN3139 | Oxidizing liquid, n.o.s. | 5.1 | 111 | ST ST | Limited quantity Yes. Packaging instruction Passenger aircraft Quantity limitation: 2.5 L Cargo aircraft Quantity limitation: 30 L Special provisions 62, 127, A2, IB2 |
| TDG Classification | UN3139 | OXIDIZING LIQUID, N.O.S. | 5.1 | 111 | | Explosive Limit and Limited Quantity Index 5 Passenger Carrying Road or Rail Index 2.5 Special provisions 16 |
| Mexico Classification | UN3139 | LIQUIDO OXIDANTE, N.E.P. | 5.1 | 111 | | <u>Special provisions</u> 223, 274 |
| | | | | | | |

| LANZA HEALING COOL | | | | | | |
|--------------------|---------|--|-----|-----|---|---|
| Section 14. | Transpo | rt information | | | | |
| ADR/RID Class | UN3139 | OXIDIZING LIQUID, N.O.S. | 5.1 | | | The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. Limited quantity LQ13 Special provisions 274 Tunnel code (E) |
| IMDG Class | UN3139 | OXIDIZING LIQUID, N.O.S Marine pollutant (dipotassium peroxodisulphate, Silicic acid, sodium salt) | 5.1 | 111 | | The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg. Emergency schedules (EmS) F-A, S-Q Special provisions 223, 274 |
| IATA-DGR Class | UN3139 | Oxidizing liquid, n.o.s. | 5.1 | | Y | The environmentally hazardous substance mark may appear if required by other transportation regulations. Passenger and Cargo Aircraft Quantity limitation: 2. 5 L Packaging instructions: 514 Cargo Aircraft Only Quantity limitation: 30 L Packaging instructions: 515 Limited Quantities - Passenger Aircraft Quantity limitation: 1 L Packaging instructions: Y514 Special provisions A3 |

PG* : Packing group

Section 15. Regulatory information

| 0 | 5 | |
|---|---|------|
| U.S. Federal regulations | : TSCA 8(a) CDR Exempt/Partial exemption: Not determined | |
| | United States inventory (TSCA 8b): Not determined. | |
| | Clean Water Act (CWA) 311: edetic acid | |
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed | |
| Clean Air Act Section 602 Class I Substances | : Not listed | |
| Clean Air Act Section 602 Class II Substances | : Not listed | |
| | 8067 | |
| Date of issue/Date of revision | : 5/29/2015. Date of previous issue : No previous validation. Version : 1 | 9/12 |
| | | |

Section 15. Regulatory information

DEA List I Chemicals (Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

| SARA 304 RQ | : Not applicable. |
|-------------|-------------------|
|-------------|-------------------|

SARA 311/312

Classification

: Fire hazard Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|--|-------|----------------|----------------------------------|----------|--|--|
| dipotassium peroxodisulphate | 19.02 | No. | No. | No. | Yes. | No. |
| diammonium peroxodisulphate | 12.37 | No. | No. | No. | Yes. | No. |
| Silicic acid, sodium salt | 7.83 | No. | No. | No. | Yes. | No. |
| disodium metasilicate | 7.36 | No. | No. | No. | Yes. | No. |
| sodium 2-(dodecyloxy)-2-oxoethane- 1-sulphonate | 1.60 | No. | No. | No. | Yes. | No. |
| silicon dioxide | 1.20 | No. | No. | No. | Yes. | No. |

SARA 313

| | Product name | CAS number | % |
|------------------------------------|-----------------------------|------------|-------|
| Form R - Reporting requirements | diammonium peroxodisulphate | 7727-54-0 | 12.37 |
| Supplier notification | diammonium peroxodisulphate | 7727-54-0 | 12.37 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

| Massachusetts | : The following components are listed: AMORPHOUS SILICA; ETHYLENEDIAMINE TETRAACETIC ACID (EDTA); POTASSIUM PERSULFATE |
|---------------------|--|
| New York | : The following components are listed: Ethylenediamine tetraacetic acid |
| New Jersey | The following components are listed: MINERAL OIL (UNTREATED and MILDLY TREATED); AMMONIUM PERSULFATE; PEROXYDISULFURIC ACID ([(HO)S(O)2] 202), DIAMMONIUM SALT; ETHYLENEDIAMINETETRAACETIC ACID; GLYCINE, N, N'-1,2-ETHANEDIYLBIS[N-(CARBOXYMETHYL)-; EDTA; POTASSIUM PERSULFATE; PEROXYDISULFURIC ACID, ([(HO)S(O)2]2O2), DIPOTASSIUM SALT; MINERAL OIL (UNTREATED and MILDLY TREATED) |
| Pennsylvania | The following components are listed: SILICA; GLYCINE, N,N'-1,2-ETHANEDIYLBIS[N- (CARBOXYMETHYL)-; PEROXYDISULFURIC ACID ([(HO)S(O)2]2O2), DIPOTASSIUM SALT |
| California Prop. 65 | |

California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer. Not available.

International regulations

8067

Section 15. Regulatory information

| | tion List Schedules I, II & III Chemicals |
|-------------------------------------|--|
| Not listed. | |
| Montreal Protocol (Annexe | <u>s A, B, C, E)</u> |
| Not listed. | |
| Stockholm Convention on | Persistent Organic Pollutants |
| Not listed. | |
| Rotterdam Convention on Not listed. | Prior Inform Consent (PIC) |
| UNECE Aarhus Protocol or | n POPs and Heavy Metals |
| Not listed. | |
| <u>Canada</u> | |
| WHMIS (Canada) | : Class C: Oxidizing material. Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic). Class E: Corrosive material |
| Canadian lists | |
| Canadian NPRI | : The following components are listed: White mineral oil; Ammonia (total); White mineral oil |
| CEPA Toxic substances | : None of the components are listed. |
| Canada inventory | : Not determined. |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

<u>Mexico</u>

Classification



Section 16. Other information

Hazardous Material Information System (U.S.A.)

ż



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Section 16. Other information



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

| : 5/29/2015. |
|---------------------------|
| : 5/29/2015. |
| : No previous validation. |
| : 1 |
| : Not available. |
| |

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.