SAFETY DATA SHEET
PRODCUT NAME: Lanza Healing Color Clay Decolorizer
FILE NO.: 00025-229-2 LCBr2
SDS DATE: 06/7/2018

SAFETY DATA SHEET — 16 Sections

SE	CTION 1 – CH	IEMICAL PRO	DDUCT AND COM	PANY IDEN	TIFICATION
Product Identifier	Lanza Healing	Color Clay Decol	orizer	[WHMIS Classifica	tion] Excluded
Product Use	Personal Care/Use - Cosmetic - Hair Bleach			Revision 2	
Manufacturer's Name	Bright Interna	tional Corporat	tion		
Street Address	1301 West Inc	dustrial Drive (P	P.O. Box 6)		
City	Coolidge		State	Arizona	
Postal Code	85128 Emergency Telephone		520.723.8001/ (Chemtrec) 800-424-9300	
Date SDS Prepared	06/7/2018	SDS Prepared By	Stacey J. LeBlanc	Phone Number	520.316.7628

	SE	ECTION 2 – H	AZARDS IDE	ENTIFICATION	ON
Route of Entry	☑Skin Contact	☐ Skin Absorption	☑Eye Contact	☑Inhalation	☑Ingestion
[Emergency Overview]	This is a personal ca intended and reason	•		afe for consum	ers and other users under
[WHMIS Symbols]	NA		Classification Signal Word:	•	1 4; Skin Irritation 2; Eye Irritation 2A
[Potential Health	Effects]		, ,	J	
Ingestion: Mo	spiratory tract irritant. Ma derately toxic (Category 4 AY FORM COMBUSTIBL	·).		(DURING PRO	CESSING)
• Irritant (skin ar • Acute Toxicity • Respiratory Tra	(harmful)	espiratory Tract Irritant	H270: May cause H303: May be ha H305: May be ha H313: May be ha H317: May cause H319: Causes se H334: May cause	e or intensify fire; oxid rmful if swallowed rmful if swallowed an rmful in contact with s an allergic skin reac rious eye irritation	id enters airways skin
P103: Read label P232: Protect fro P233: Keep conta	of reach of children I before use		P262: Do not get P264: Wash hand P270: Do not eat,	thing dust/fume/gas/r in eyes, on skin, or o ds thoroughly after ha drink or smoke when nal protective equipm	on clothing andling n using this product
P301+310+330+: vomiting; Im P302+P313+P33 irritation or : P304+P313+P34 fresh air and Get medica P305+P313+P33 several min	autionary Statement 331: IF SWALLOWED: Rinse m mediately call a POISON CENTER of 3+352: IF ON SKIN: Wash with a rash occurs, get medical advic 1 IF INHALED: If breathing is di d keep at rest in a position comf I advice/attention if breathing dit 7+351+338: IF IN EYES: Rinse utes. Remove contact lenses if sing. If eye irritation persists, gention	or doctor/physician soap and water; If skin se/attention fficult, remove victim to fortable for breathing. fficulty continues. cautiously with water for present and easy to do-	P402+404: Store P403+233: Store		in a closed container lace. Keep container tightly closed

SAFETY DATA SHEET
PRODCUT NAME: Lanza Healing Color Clay Decolorizer

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS LD₅₀ of Ingredient (specify species and CAS Number LC₅₀ of Ingredient (specify species) Hazardous Ingredients (specific) Magnesium Carbonate Hydroxide 35 - 45 12125-28-9 ORAL LD50: >6,250 mg/kg (rats) ND DERMAL LD50: > 2,000 mg/kg (rat) 7727-21-1 Potassium Persulfate 20 - 30> 2.95 mg/L (Rat) (4-hr) ORAL LD50: 802 mg/kg (rat)` ORAL LD50: >5,000 mg/kg (rat) Kaolin 10 - 151332-58-7 ND Sodium Metasilicate DERMAL LD₅₀: 250 mg/24H (rabbit) ND 5 - 106834-92-0 ORAL 1,280 mg/kg (rats) DERMAL LD₅₀: > 2,000 mg/kg (rabbit) Ammonium Persulfate 4 – 8 7727-54-0 > 2.95 mg/1 (4 h) (rat) ORAL LD₅₀: 742 mg/kg (male rat)` ORAL LD₅₀:700 mg/kg (female rat) Corn Starch 4 – 8 9005-25-8 ORAL LD50:: 6,600 mg/kg (rat) ND Sodium Persulfate 1 – 5 7775-27-1 DERMAL LD₅₀: > 10 g/kg 5.1 mg/l (rat) ORAL LD₅₀: 895 mg/kg (rat) Xanthan Gum 11138-66-2 ORAL LD₅₀: >5,000 mg/kg (rat) 1 - 5

INCI Ingredient List:: Magnesium Carbonate Hydroxide, Potassium Persulfate, Kaolin, Sodium Metasilicate, Ammonium Persulfate, Corn Starch, Sodium Persulfate, Xanthan Gum, Mineral oil/Paraffinum liquidum, Disodium EDTA, L-Arginine, Citric Acid Monohydrate, Extract Blend

SECTION 4 - FIRST AID MEASURES

Skin Contact: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

Eye Contact: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

Inhalation: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

Ingestion: Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting unless advised by physician. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

NOTES TO MEDICAL DOCTOR: This product has moderate oral toxicity and is minimally irritating to the eyes. Flooding of exposed areas with water is suggested, but gastric lavage or emesis induction for ingestions must consider the possible aggravation of esophageal injury and the expected absence of systemic effects. Treatment is controlled removal of exposure followed by symptomatic and supportive care.

SECTION 5 – FIRE FIGHTING MEASURES				
Flammable ☐ Yes ☑No	If yes, under which conditions?			
Means of Extinction: Deluge with Wat	er only			
Flashpoint (°C) and Method: NA	Upper Flammable Limit: Non-Combustible (% by volume):	Lower Flammable Limit: Non-Combustible (% by volume):		
Autoignition Temperature (°C)	Explosion Data: Not Available — Sensitivity to Impact:	Explosion Data: Combustible Dust (not tested) Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard		

Hazardous Combustion Products: Oxygen that supports combustion and oxides of sulfur and nitrogen; Hydrogen

Fire Fighting Procedures/Equipment: Do not use carbon dioxide or other gas filled fire extinguishers; they will have no effect on decomposing persulfates. Wear full protective clothing and self-contained breathing apparatus.

[NFPA]: Health 1; Flammability 1; Reactivity 1; Special OX

Page 2 of 6

FILE NO.: 00025-229-2 LCBr2

SDS DATE: 06/7/2018

SAFETY DATA SHEET FILE NO.: 00025-229-2 LCBr2
PRODCUT NAME: Lanza Healing Color Clay Decolorizer SDS DATE: 06/7/2018

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures: Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Spilled material should be collected and put in approved DOT container and isolated for disposal. Isolated material should be monitored for signs of decomposition (fuming/smoking). If spilled material is wet, dissolve with large quantity of water and dispose. All disposals should be carried out according to regulatory agencies procedures.

Personal Protection:

Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber boots, NIOSH-approved dust respirator where dust occurs. See section 8. Nonsparking tools should be used.

Small Spill Cleanup

Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust Use appropriate Personal Protective Equipment (PPE). See section 8.

Large Spill Cleanup

Keep unnecessary people away; isolate hazard area and deny entry. Do not touch or walk through spilled material. Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Use appropriate Personal Protective Equipment (PPE). See section 8. In case of contact with water, prevent runoff from entering into storm sewers and ditches, which lead to natural waterways. Neutralize contaminated area and flush with large quantities of water. Comply with applicable environmental regulations.

SECTION 7 - HANDLING AND STORAGE

Handling Procedures and Equipment: Use only with adequate ventilation and avoid inhalation. Minimize dust generation and accumulation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area. Use adequate ventilation when transferring product from bags or drums. Wear respiratory protection if ventilation is inadequate or not available. Use eye and skin protection. Use clean plastic or stainless steel scoops only. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces

Storage Requirements: Store (unopened) in a cool, clean, dry place away from point sources of heat, e.g. radiant heaters or steam pipes. Use first in, first out storage system. Avoid contamination of opened product. Do not store with or near fuels, solvents or other organic materials. Avoid heat, moisture and reducing agents. In case of fire or decomposition (fuming/smoking) deluge with plenty of water to control decomposition. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as grounding and bonding.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION						
Exposure Limits ACGIH TL	√ 0.1 mg/m³ (Potass	sium Persulfate) 🗹 O	SHA PEL Not Es	stablished 🗹 Othe	er (specify) 15 mg/m	³ Total Dust
Specific Engineering Controls (material, such as in the manufa use. For handling large quantiti (general): Explosion proof.	acturing of product	t, ventilation should	be utilized. Lo	cal exhaust ventil	lation is not typica	ally required for product
Personal Protective Equipment If checked, please specify type	☑ Gloves	☐ Respirator	☑ Eye	☐ Footwear	☑ Clothing	☑ Other
Plastic or rubber gloves should irritation. Apron may be used for stored inside product contain	or product handling					

SAFETY DATA SHEET
PRODCUT NAME: Lanza Healing Color Clay Decolorizer
FILE NO.: 00025-229-2 LCBr2
SDS DATE: 06/7/2018

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
Physical State: Solid	Odor and Appearance : Slightly Moist, Bland Off-White Powder	Odor Threshold (ppm) : Not Determined		
Specific Gravity: <1 (water = 1)	Vapor Density (air = 1) : NA	Vapor Pressure (mmHg) : NA		
Evaporation Rate: NA	Boiling Point (°C) : NA	Freezing Point (°C) : NA		
pH : (1% aqueous) 10.5 su – 11.5 su	Coefficient of Water/Oil Distribution : NA	[Solubility in Water] : >100 g/L (dispersible)		

SECTION 10 – STABILITY AND REACTIVITY		
Chemical Stability ☑Yes ☐ No If no, under which conditions?	Acids, alkalis, halides (fluorides, chlorides, bromides and iodides), combustible materials, most metals	
Substances Yes No If yes, which ones?	and heavy metals, oxidizable materials, other oxidizers, reducing agents, cleaners, and organic or carbon containing compounds.	
Conditions to Avoid:	Heat, moisture and contamination.	
Hazardous Decomposition Products	Oxygen that supports combustion and oxides of sulfur and nitrogen; Hydrogen	

No toxicological testing has been performed on this product	Information in this section is based on toxicology of individual components.
Effects of Acute Exposure	information in this section is based on toxicology of individual components.
·	rritant/allergic dermatitis and respiratory signs and symptoms, the
Effects of Chronic Exposure	
Possible allergic dermatitis. Possible respiratory sensitizati	ion could occur.
Irritancy of Product: Product is known to be a moderate irritant	
Skin Sensitization: Can cause irritation and possible dermatitis. Can exacerbate dermatological issues such as eczema.	Respiratory Sensitization: Irritant and can exacerbate bronchitis and bronchial asthma
	Carcinogenicity — ACGIH: No components recognized as carcinogenic
Carcinogenicity — IARC: No components recognized as carcinogenic	
Carcinogenicity — IARC: No components recognized as carcinogenic Reproductive Toxicity: No components recognized as being reproductive toxin	Teratogenicity: No components recognized as being teratogen
Reproductive Toxicity: No components recognized as being reproductive	Teratogenicity: No components recognized as being teratogen Mutagenicity: No components recognized as being mutagen

SAFETY DATA SHEET FILE NO.: 00025-229-2 LCBr2 **SDS DATE: 06/7/2018**

PRODCUT NAME: Lanza Healing Color Clay Decolorizer

SECTION 12 – ECOLOGICAL INFORMATION

The product itself has not been tested, but the following results have been associated with some of its constituents:

Potassium/Sodium Persulfate: Bluegill sunfish, 96-hour LC_{50} = 771 mg/L Rainbow Trout, 96-hour LC_{50} = 163 mg/L Daphnia, 48-hour LC₅₀ = 133 mg/L Grass shrimp, 96 hour LC₅₀ = 519 mg/L

Ammonium Persulfate Bluegill sunfish, 96-hr LC50 103 mg/L Rainbow trout, 96-hr LC50 76.3 mg/L Daphnia, 48-hr LC50 = 120 mg/L Grass shrimp. 96-hr LC50 = 391 mg/L

Disodium EDTA Fish 96 Hr LC₅₀: >100 mg/L Daphnia magna, 48-hr EC₅₀ = 140 mg/L

Sodium Metasilicate
Brachydanio rerio 96 Hr LC50: 210 mg/L [semi-static] Brachydanio rerio 96 Hr LC50: 210 mg/L

CHEMICAL FATE: Biodegradability does not apply to inorganic substances.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal: Hair bleaching products are ignitable RCRA hazardous wastes when intended for disposal. Physical and/or chemical deactivation/degradation is the required method of treatment and disposal.

RCRA HAZARD CLASS: D001

Follow all local governmental requirements intended for disposal

SECTION 14 - TRANSPORT INFORMATION

Please be aware of carrier transport variations before shipping hazardous materials.

In Consumer Packaging: ORM-D; Consumer Commodity or Limited Quantity LABELING: ORM-D Label or Black and White square on point without "Y"

OTHER THAN CONSUMER PACKAGING:

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Potassium Persulfate, Ammonium Persulfate and Sodium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Yellow 5.1 Oxidizer Label

In Consumer Packaging: Limited quantity (maximum net quantity per package) <10 kg

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Potassium Persulfate, Ammonium Persulfate and Sodium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Black and White square on point with "Y" in center

OTHER THAN CONSUMER PACKAGING: <25 kg (passenger) or <100 kg (cargo)

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Potassium Persulfate, Ammonium Persulfate and Sodium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Yellow 5.1 Oxidizer Label



Page 5 of 6

SAFETY DATA SHEET FILE NO.: 00025-229-2 LCBr2 PRODCUT NAME: Lanza Healing Color Clay Decolorizer **SDS DATE: 06/7/2018**

SECTION 15 - REGULATORY INFORMATION

[WHMIS Classification] EXCLUDED as Cosmetic

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4): Unlisted, RQ 100 lbs., Ignitability

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

SECTION 311 HAZARD CATEGORIES (40 CFR 370): Fire Hazard, Immediate (Acute) Health Hazard

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370): The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.: None TSCA INVENTORY STATUS (40 CFR 710): This product is not required to be listed under TSCA. However, the

TSCA (TOXIC SUBSTANCE CONTROL ACT)

ingredients of this product are listed on the TSCA inventory

RCRA (Resource Conservation and Recovery Act)

Unused material would be classified as an Ignitable Waste (D001) and should be handle appropriately according Local, State, and Federal laws.

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372): Not listed

Canada: While mixture has not been tested, due to the components within this product, it is considered a Class C Oxidizing Material under the Controlled Products Regulations. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.



Class C Oxidizing Material

This product is not known to contain any components for which the State of California has found to cause California cancer, birth defects or other reproductive harm. Proposition 65:

International Inventories Component(s) of the product are on the following Inventory lists: TSCA, Australia (AICS), Canada (DSI), China, Europe (EINECS/ELINCS), Japan, Korea (ECI), and Philippines (PICCS)

GHS Acute oral toxicity LD50 (mg/kg): While this product has not been tested on animals, the calculated ATE LD50 (mg/kg) for the product is 1.732

ANSI 129.1 (USA) - Harmful OSHA HCS (USA) - Non-Toxic EPA (USA) - Toxic Category III CPSC (USA) - Non-Toxic DOT (USA) - Packing Group III NFPA (USA) - Hazard Category 1 HMIS (USA) - Toxicity Rating 1

EU - Harmful

WHMIS (Canada) - Non-Toxic

Australia - Harmful Mexico - Mildly Toxic Malaysia - Not Harmful Japan – Powerful Korea - Harmful

SECTION 16 – OTHER INFORMATION

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids for safe handling.

DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bright International Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Bright International Corporation assumes no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.