| IDENTITY: Lanza Healing Volum | ne Thickening Treatmen | t Spray | | |
|---|--|--|--|--|
| MANUFACTURER'S CODE: | 22737-01 | | | |
| MANUFACTURER'S NAME: | 22131-01 | 24 Hr EMERGENC | TELEPHONE NUM | BER |
| | | CHEMTREC | 800-424-9300 (wit | |
| AWARE PRODUCTS | | | | |
| 9250 MASON AVENUE | | | 818-206-6700 | |
| CHATSWORTH, CA 91311 | | FAX NUMBER: | 818-717-1676 | |
| | | Date Prepared : | 9-Nov-18 | |
| SECTION 2. HAZARD IDEN | TIFICATION | | | |
| GHS Classification | | | | |
| Flammable Liquids: Category | II | | | |
| | | | | |
| GHS Label Element | | | | |
| Hazard pictograms: | 8 | | | |
| < **> | > | | | |
| | | | | |
| | | | | |
| Sindal Worde, Warningi Haza | rd Statomont, Flamma | hle liquid | | |
| | rd Statement: Flamma | ble liquid. | | |
| Precautionary Statements: | | | ne eves. Use onlv as | directed. |
| Precautionary Statements: | | | ne eyes. Use only as | directed. |
| Precautionary Statements: | ut of reach of children. | | ne eyes. Use only as | directed. |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re | ut of reach of children. esult in classification | Avoid getting into the second se | ne eyes. Use only as | directed. |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight | ut of reach of children. esult in classification | Avoid getting into th | ne eyes. Use only as | directed. |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M | at of reach of children. esult in classification masal irritation may occulate the irritation may occulate the irritation to extra-section to extra-section the irritation to extra-section to ex | Avoid getting into th ur sensitive skin. | ne eyes. Use only as | directed. |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma | at of reach of children. esult in classification nasal irritation may occulay be irritating to extra-say cause mechanical irrit | Avoid getting into the sensitive skin. | | directed. |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf | ut of reach of children. esult in classification nasal irritation may occular lay be irritating to extra-s ay cause mechanical irrit ul if swallowed. May cau | Avoid getting into the sensitive skin. | itation. | |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS | ut of reach of children. esult in classification nasal irritation may occulay be irritating to extra-say cause mechanical irrit ful if swallowed. May cause S AND MEDICAL COND | Avoid getting into the sensitive skin. Sensitive skin. Station. Juse gastrointestinal importions AGGRAVAT | itation. ED BY OVEREXPOS | SURE: |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r | at of reach of children. esult in classification a nasal irritation may occul lay be irritating to extra-s ay cause mechanical irrit ul if swallowed. May cau S AND MEDICAL COND medical conditions aggra | Avoid getting into the sensitive skin. Exation. USE gastrointestinal into the sensitive skin. | itation. ED BY OVEREXPOS re to this product have | SURE: |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r | ut of reach of children. esult in classification nasal irritation may occulay be irritating to extra-say cause mechanical irrit ful if swallowed. May cause S AND MEDICAL COND | Avoid getting into the sensitive skin. Exation. USE gastrointestinal into the sensitive skin. | itation. ED BY OVEREXPOS re to this product have | SURE: |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece | at of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-se ay cause mechanical irrit ul if swallowed. May cau S AND MEDICAL COND medical conditions aggra | Avoid getting into the sensitive skin. sensitive skin. sation. use gastrointestinal important of the sensitive skin. station sensitive skin. STIONS AGGRAVAT avated by overexposu roduct or any chemics | itation. ED BY OVEREXPOS re to this product have | SURE: |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece | at of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-se ay cause mechanical irrit ul if swallowed. May cau S AND MEDICAL COND medical conditions aggra | Avoid getting into the sensitive skin. sensitive skin. sation. use gastrointestinal important of the sensitive skin. station sensitive skin. STIONS AGGRAVAT avated by overexposu roduct or any chemics | itation. ED BY OVEREXPOS re to this product have | SURE: |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece | at of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-s ay cause mechanical irrit ful if swallowed. May cau S AND MEDICAL COND medical conditions aggra essary exposure to this p | Avoid getting into the sensitive skin. The skin skip skip skip skip skip skip skip skip | itation. ED BY OVEREXPOS re to this product have al should be avoided. | SURE: e been not |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece SECTION 3. COMPOSITION/IN The identity of individual compor | ut of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-s ay cause mechanical irrit ful if swallowed. May cause S AND MEDICAL COND medical conditions aggra essary exposure to this p FORMATION ON INGR ments of this mixture is p | Avoid getting into the sensitive skin. Sensit skin. Sensitive skin. Sensitive skin. Sensitive | itation. ED BY OVEREXPOS The to this product have al should be avoided. and regarded to be a | SURE: e been not |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: M INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece SECTION 3. COMPOSITION/IN The identity of individual compor secret. However, based on the b | ut of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-s ay cause mechanical irrit ul if swallowed. May cau 5 AND MEDICAL COND medical conditions aggra essary exposure to this p FORMATION ON INGR ments of this mixture is p health hazard determina | Avoid getting into the sensitive skin. Sensit skin. Sensitive skin. Sensitive skin. Sensitive | itation. ED BY OVEREXPOS The to this product have al should be avoided. and regarded to be a | SURE: e been not |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: M INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece SECTION 3. COMPOSITION/IN The identity of individual compor secret. However, based on the b | ut of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-s ay cause mechanical irrit ul if swallowed. May cau 5 AND MEDICAL COND medical conditions aggra essary exposure to this p FORMATION ON INGR ments of this mixture is p health hazard determina | Avoid getting into the sensitive skin. Sensit skin. Sensitive skin. Sensitive skin. Sensitive | itation. ED BY OVEREXPOS The to this product have al should be avoided. and regarded to be a | SURE: e been not |
| Precautionary Statements: Keep away from heat. Keep ou Other Hazards which do not re INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r established. Unnece SECTION 3. COMPOSITION/IN The identity of individual compor secret. However, based on the f presents the following health haz | ut of reach of children. esult in classification a nasal irritation may occu- lay be irritating to extra-s ay cause mechanical irrit ul if swallowed. May cau S AND MEDICAL COND medical conditions aggra essary exposure to this p FORMATION ON INGR ments of this mixture is p health hazard determina | Avoid getting into the sensitive skin. Sensit skin. Sensitive skin. Sensitive skin. Sensitive | itation. ED BY OVEREXPOS The to this product have al should be avoided. and regarded to be a | SURE: e been not trade nixture ACGIH TLV |
| INHALATION: Slight SKIN CONTACT: M EYE CONTACT: Ma INGESTION: Harmf CHRONIC EFFECTS Chronic effects and r | ut of reach of children. esult in classification rasal irritation may occi- lay be irritating to extra-say cause mechanical irrita- ul if swallowed. May cau S AND MEDICAL COND medical conditions aggra essary exposure to this p FORMATION ON INGR ments of this mixture is p health hazard determina zard(s): | Avoid getting into the sensitive skin. Sensiti | itation. ED BY OVEREXPOS re to this product have al should be avoided. and regarded to be a edients present, this n | SURE: e been not trade nixture |

MANUFACTURER'S NAME: AWARE PRODUCTS, 9250 MASON AVENUE, CHATSWORTH, CA 91311 INFORMATION/EMERGENCY NO. CHEMTREC 800-424-9300 (within the USA) SECTION 4. FIRST AID MEASURES: **INHALATION:** If inhaled, remove to fresh air. Get Medical attentation if symptoms occur SKIN: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance. **EYES:** Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance. **INGESTION:** Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention. **FIRE FIGHTING MEASURES:** SECTION 5. FLASH POINT: 68 °F FLAMMABILITY CLASSIFICATION: Flammable Foam, CO₂, water fog, sand/earth. EXTINGUISHING MEDIA: UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors can ignite explosively SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray. SECTION 6. ACCIDENTAL RELEASE MEASURES: STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth. **DISPOSAL METHOD:** Sweep up and dispose of in accordance with Federal, State and local regulations. HANDLING AND STORAGE: SECTION 7. USAGE PRECAUTIONS: Use as directed. STORAGE PRECAUTIONS: Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children. OTHER PRECAUTION: Caution! Spilled material is slippery.

| MANUFACTURER'S NAME: INFORMATION/EMERGENCY NO. | | 50 MASON AVENUE, CHATSW 00 (within the USA) | ORTH, CA 91311 | | |
|---|---|--|------------------------|--|--|
| SECTION 8. EXPOSURE | CONTROLS AND PERSO | ONAL PROTECTION: | | | |
| ENGINEERING CONTROL: | Not required. | | | | |
| RESPIRATION PROTECTIO | N: Not applicable. | | | | |
| PROTECTIVE GLOVES: N | ot required. | | | | |
| EYE AND FACE PROTECTI | ON: Not required under no | ormal conditions of use. | | | |
| HYGIENIC WORK PRACTIC | CES: No special practices this material. | noted. No eating or drink | ing while working with | | |
| SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES: | | | | | |
| BOILING RANGE: | VAPOR DENSITY: | X HEAVIER | LIGHTER THAN AIR | | |
| Not determined. EVAPORATION RATE: | FASTER | X SLOWER, THAN ETH | ER | | |
| APPEARANCE: Clear, | water-thin liquid | | | | |
| ODOR/TASTE: Fruity | | | | | |
| SOLUBILITY IN WATER: | Miscible | | | | |
| pH (range): 5.5-6. | 5 | | | | |
| Specific Gravity: 0.9 | | | | | |
| VISCOSITY (range): n/a | | | | | |
| SECTION 10. STABILITY AND REACTIVITY: | | | | | |
| STABILITY:UN | STABLE X | STABLE | | | |
| INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and oxidizing agents. | | | | | |
| HAZARDOUS DECOMPOSITION PRODUCTS: May produce toxic fumes of oxides of carbon, sulfur and nitrogen; ammonia. | | | | | |
| HAZARDOUS POLYMERIZ | ATION: MAY OCC | UR <u>X</u> | WILL NOT OCCUR | | |
| CONDITIONS TO AVOID: Extreme temperatures. | | | | | |

| MANUFACTURER'S NAME: | |
|-------------------------|----|
| INFORMATION/EMERGENCY I | NO |

AWARE PRODUCTS, 9250 MASON AVENUE, CHATSWORTH, CA 91311 CHEMTREC 800-424-9300 (within the USA)

SECTION 11. TOXICOLOGICAL INFORMATION:

The product has not been tested fro specific toxicity data. This product has not been tested on animals. Carcinogenicity: This information is not available. Reproductive toxicity: No Data Available STOT-Single exposure: No Data Available STOT-Repeated exposure: No Data Available Aspiration toxicicy: No Data Available

SECTION 12. ECOLOGICAL INFORMATION:

Ecotoxicity: No Data Available Persistence and degradability: No Data Available Bioaccumlative potential: No Data Available Other Adverse Effects: No Data Available

SECTION 13. DISPOSAL CONSIDERATIONS:

WASTE DISPOSAL METHOD: Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as a hazardous waste.

SECTION 14. TRANSPORT INFORMATION:

DOT:

Shipping Name: Flammable Liquid, n.o.s. HAZARD CLASS: Class 3 (Flammable Liquid) DOT Classification: Limited Quantity UN NUMBER : 1993 Flammable Liquid, n.o.s. Packaging Group II

IMDG (OCEAN):

Shipping Name: Flammable Liquid, n.o.s. HAZARD CLASS: Class 3 (Flammable Liquid) DOT Classification: Limited Quantity UN NUMBER : 1993 Flammable Liquid, n.o.s. Packaging Group II

IATA (Air)

Shipping Name: Flammable Liquid, n.o.s. HAZARD CLASS: Class 3 (Flammable Liquid) DOT Classification: Limited Quantity UN NUMBER : 1993 Flammable Liquid, n.o.s. Packaging Group II

| SECTION 15. REGULATORY I | NFORMATION: | | | |
|--|-------------|--|--|--|
| U.S Federal Regulations TSCA: All components are listed or exempted SARA, Title III, Section 313 (40CFR 372): No listed substance SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance California Proposition 65: This product is not subject to warning labeling under California Proposition 65 | | | | |
| SECTION 16. OTHER INFOR HMIS IDENTIFICATION SYSTEM HEALTH FLAMMABILITY PHYSICAL HAZARD | | | | |

REVISION : 10-Feb-2015

DISCLAIMER:

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on it's own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.