ASSURED PACKAGING INC 6080 Vipond Drive Mississauga, Ontario L5T 2V4, Canada

PRODUCT: Healing Style Dramatic F/X 10.6oz







Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER MANUFACTURER'S NAME AND ADDRESS

> Assured Packaging Inc 6080 Vipond Drive Mississauga, Ontario

L5T 2V4 905-565-1410

MOLECULAR WEIGHT...... NOT APPLICABLE.

CHEMICAL FORMULA..... MIXTURE.

TRADE NAMES & SYNONYMS..... Healing Style Dramatic F/X 10.6oz HAIR SPRAY.

FORMULA/LAB BOOK #...... 011-158.

Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route,Species	LC/50 Route,Species
ETHANOL (Ethyl Alcohol)	60-100	1000 ppm	64-17-5	7060 mg/kg ORAL - RAT	31,623 ppm (4 hr) INHAL - RAT
2-AMINO-2-METHYL-1-PROPAN OL	1-5	NONE	124-68-5	NOT AVAILABLE	NOT AVAILABLE
FRAGRANCE	0.1-0.3	N/A	PROPRIETARY	NOT AVAILABLE	NOT AVAILABLE
1,1-DIFLUOROETHANE	10-30	1000	75-37-6	NOT AVAILABLE	383000 ppm (4 hr) INHAL - RAT

Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:

INGESTION.....

HARMFUL IF SWALLOWED. PROPELLANT IS A SIMPLE ASPHYXIANT. EXCESSIVE INHALATION OF ETHANOL VAPOURS CAN CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. INHALATION.....

EYE CONTACT..... DUST OR VAPORS MAY IRRITATE.

SKIN ABSORPTION...... ETHANOL CAN BE ABSORBED IN TOXIC AMOUNTS, ESPECIALLY FROM

EFFECTS OF ACUTE EXPOSURE...... ETHANOL-LONG TERM REPEATED ORAL EXPOSURE MAY RESULT IN THE

DEVELOPMENT OF PROGRESSIVE LIVER INJURY WITH FIBROSIS.

EFFECTS OF CHRONIC EXPOSURE EXPOSURE LIMIT OF MATERIAL...... SEE SECTION 2.

Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR

AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH

THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE

VOMITING, GET MEDICAL ATTENTION.

Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C)....... LOWEST KNOWN VALUE IS 422 (ETHANOL).

SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS

TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

FLAMMABLE AEROSOL.

FLAMMABILITY..... IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.

EXTINGUISHING MEDIA...... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

00008853 **MATERIAL SAFETY DATA SHEET** Page 2 PRODUCT: Healing Style Dramatic F/X 10.6oz Section 05: FIRE FIGHTING MEASURES LOWER FLAMMABLE LIMIT...... 1.8. (% BY VOLUME) **EXPLOSION DATA** PRODUCTS...... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE. AEROSOL FLAME PROJECTION CLASSIFIED AS:.....>15cm. (CONCENTRATE) **Section 06: ACCIDENTAL RELEASE MEASURES** REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE. Section 07: HANDLING AND STORAGE STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS). HANDLING PROCEDURES AND STORÉ IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C. **EQUIPMENT** SYNERGISTIC MATERIALS...... NONE KNOWN. Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION GLOVES/ TYPE...... PROTECTIVE GLOVES FOR HYPERSENSITIVE PERSONS. RESPIRATORY/TYPE......NOT NORMALLY REQUIRED IF GOOD VENTILATION IS MAINTAINED. EYE/TYPE RECOMMENDED BUT NOT REQUIRED.
FOOTWEAR/TYPE NOT NORMALLY REQUIRED.
OTHER/TYPE NOT REQUIRED. Section 09: PHYSICAL AND CHEMICAL PROPERTIES ODOR..... FRAGRANT. BOILING POINT (°C)(CONC)...... LOWEST KNOWN VALUE IS ETHANOL @78.5C. EVAPORATION RATE....... GREATER THAN 1. n-BUTYL ACETATE = 1 VAPOUR DENSITY (AIR=1)..... LESS THAN 1. (BY WEIGHT) SOLUBILITY IN WATER g/L (20°C)...... 70. 8-9. SPECIFIC GRAVITY (LIQUID)...... 0.70-0.74. COEFFICIENT OF WATER\OIL DIST...... NOT AVAILABLE. FREEZING POINT: (°C) AEROSOL PERCENT VOLATILE...... 90-95. (BY WEIGHT). SPECIFIC GRAVITY (AEROSOL)...... 0.67-0.71. Section 10: STABILITY AND REACTIVITY HAZARDOUS PRODUCTS OF IS INCOMPLETE. CHEMICAL STABILITY: COMPATIBILITY WITH OTHER SUBSTANCES:

NO, WHICH ONES?...... STRONG OXIDIZING AGENTS. REACTIVITY CONDITIONS?..... NOT APPLICABLE.

00008853	MATERIAL SAFETY DATA SHEET Page 3
PRODUCT: Healing Style Dramati	
Section 11	: TOXICOLOGICAL INFORMATION
IRRITANCY OF MATERIAL SENSITIZING CAPABILITY OF MATERIAL.	
	NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED. NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.
Section 12	2: ECOLOGICAL CONSIDERATIONS
ENVIRONMENTAL	NOT AVAILABLE.
Section 1	3: DISPOSAL CONSIDERATIONS
WASTE DISPOSAL	DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.
Section 14:	TRANSPORTATION INFORMATION
T.D.G. CLASSIFICATION D.O.T. CLASSIFICATION IATA Shipping Description IMDG/IMO:	CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1). CONSUMER COMMODITY, ORM-D. UN1950, Aerosols, Flammable, 2.1.
	2.1. 1950. N/A.
Section	15: REGULATORY INFORMATION
CANADIAN REGULATIONS:	
WHMIS CLASSIFICATIONCNFC SECTION 3.3.5CEPA (Canadian Environmental Protection Act)	
U.S. REGULATIONS:	
HMIS RATING HEALTH HMIS RATING FLAMMABILITYHMIS RATING REACTIVITYHMIS RATING PERSONAL PROTECTION NFPA CODE 30B CALIFORNIA PROPOSITION 65:	4 SEVERE HAZARD. 1 SLIGHT HAZARD. B.
SARA 313 INFORMATION:	. WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM CAS #: CHEMICAL NAME: THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.
TSCA (Toxic Substances Control Act) VOC (w/w%)	. CAS #: CHEMICAL NAME: . N/A. ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING

00008853	MATERIAL SAFETY DATA SHEET	Page 4
PRODUCT: Healing Style Dramatic		raye 4
	on 16: OTHER INFORMATION	
NOTICE FROM ASSURED PACKAGING INC	THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED EN ASSURED PACKAGING INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. ASSUPACKAGING INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OD DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATION AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.	IABLE, RED OR L ATED
PREPARED BYPREPARATION DATE	Regulatory Affairs Jun20/13	